

PRODUCTION QUALITY ASSURANCE CERTIFICATE

Certificate No.:
124347-2012-CE-ITA-ACCREDIA

Initial date:
17 October, 2012

Validity:
17 November, 2021 – 16 September, 2024

This certificate consists of 3 pages

This is to certify that the quality system of:

Soffieria Sestese S.r.l.

Via Riccardo Wagner, 291 - 20831 Seregno (MB) - Italy

has been assessed and found to comply with respect to the conformity assessment procedure described in:

ANNEX III MODULE D1 OF DIRECTIVE 2014/68/EU ON PRESSURE EQUIPMENT

This certificate is valid for the following scope:

Type of Pressure Equipment

Pressure vessels

Product Name

Spherical and cylindrical vessels, coil heat exchangers, shell and tube heat exchangers

Place and date:
Vimercate, 18 November, 2021

For the issuing office:
Notified Body 0496, Italy
DNV Business Assurance Italy S.r.l.


Check Validity



SGQ N° 003 A
SGA N° 003 D
SGE N° 007 M
SCR N° 004 F

EMAS N° 009 P
PRD N° 003 B
PRS N° 094 C
SSI N° 002 G

Membro di MLA EA per gli schemi di accreditamento SGQ, SGA, PRD, PRS, ISP, GHG, LAB e LAT, di MLA IAF per gli schemi di accreditamento SGQ, SGA, SSI, FSM e PRD e di MRA ILAC per gli schemi di accreditamento LAB, MED, LAT e ISP



Nicola Privato
Management Representative

Jurisdiction

Application of Directive 2014/68/EU and Decreto Legislativo n. 26 of 15 February 2016.

Certificate history

Revision	Description	Issue date
00	Original certificate	17 October, 2012
01	Recertification	09 October, 2015
02	Recertification	15 November, 2018
03	Recertification	18 November, 2021

Products covered by this certificate

Cylindrical vessels

Capacity (Lt)	Design pressure (barg)	Design temp. min - max (°C)
5	2	- 80 / + 200
10	1	- 80 / + 200
20	1	- 80 / + 200
30	1	- 80 / + 200
50	1	- 80 / + 200
100	0.6	- 80 / + 200
150	0.6	- 80 / + 200
200	0.6	- 80 / + 200

Shell and tube heat exchangers

Capacity (Lt)	Nominal area (m2)	Design pressure (barg)	Design temp. min - max (°C)
36	5	2	- 80 / + 200
200	25	1	- 80 / + 200

Spherical vessels

Capacity (Lt)	Design pressure (barg)	Design temp. min - max (°C)
10	1	- 80 / + 200
20	1	- 80 / + 200
50	0,6	- 80 / + 200
100	0.6	- 80 / + 200
200	0.6	- 80 / + 200

Coil heat exchangers

Jacket capacity (Lt)	Design pressure (barg)	Design temp. min - max (°C)
32	1	- 80 / + 200
40	1	- 80 / + 200
91	0,6	- 80 / + 200
95	0.6	- 80 / + 200

Sites covered by this certificate

Site name	Site Address	Audited by	Date	Report ref
Soffieria Sestese S.r.l.	Via Riccardo Wagner, 291 - 20831 Seregno (MB) - Italy	G. Cortesi	11 October, 2021	85950402-2021011-PED-RC

Terms and conditions

Valid terms and conditions are found in the DNV's PED Certification Requirements

End of Certificate